

Link Series Data

Under the EU Data Act, the following Link Series webcam models may be classified as connected products:

No.	Model
1	Link 2 Pro
2	Link 2C Pro
3	Link 2
4	Link 2C
5	Link

The data collected by Link Series webcams may vary by version and model. For details, please refer to the product User Manual and the User Service Agreement. In general, the product data and related service data processed by the Link Series webcams are as follows:

1. Product Data

This product acquires, generates, or collects data related to its performance, usage, and surrounding environment during use. This data is used to record meeting and live-streaming usage, AI Tracking status, and pickup patterns; to reflect the device's operating status to ensure normal operation and facilitate troubleshooting; and to record the relevant environmental conditions at the time of use.

Data	Type of Data	Format	Estimated Volume	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data
USB Connection Status	Connection Status Data	Boolean	~1 B	Yes	Device (local)	Real-time update	Link Controller interface	Screenshot or transcription of the interface	Not applicable (real-time transient status; no deletion required)
Two-Axis Gimbal Angle	Sensor Data	Numeric (°)	~8 B	Yes	Device (local)	Real-time update	Link Controller interface	Screenshot or transcription of the interface	Not applicable (real-time transient; no deletion required)
AI Tracking Status	Device Status Data	Boolean/Enum	~4 B	Yes	Device (local)	Real-time update	Link Controller interface	Screenshot or transcription of the interface	Not applicable (real-time transient; no deletion required)
Pickup Mode	Audio Settings Data	Enum	~4 B	No	Device (local)	Until the next change	Link Controller interface	Screenshot or transcription of the interface	Factory reset
AI Noise Reduction Toggle	Audio Processing Status	Boolean	~1 B	No	Device (local)	Until the next change	Link Controller interface	Screenshot or transcription of the	Factory reset

Data	Type of Data	Format	Estimated Volume	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data
								interface	
PDAF Focus Status	Device Status Data	Boolean	~4 B	Yes	Device (local)	Real-time update	Link Controller interface	Screenshot or transcription of the interface	Not applicable (real-time transient; no deletion required)
HDR Mode	Shooting Settings	Boolean	~1 B	No	Device (local)	Until the next change	Link Controller interface	Screenshot or transcription of the interface	Factory reset
Whiteboard / DeskView Mode	Device Status Data	Enum	~4 B	No	Device (local)	Until the next change	Link Controller interface	Screenshot or transcription of the interface	Factory reset
Serial Number	Device Identification Information	String	~20 B	No	Device (local)	Product lifecycle	Link Controller interface	Screenshot or transcription of the interface	Not applicable (factory-hardcoded device identifier; cannot be deleted)
Model	Device	String	~10 B	No	Device	Permanently	Link	Screenshot or	Not applicable

Data	Type of Data	Format	Estimated Volume	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data
	Identification Information				(local)		Controller interface	transcription of the interface	(factory-hardcoded device identifier; cannot be deleted)
Firmware Version	Device Identification Information	String	~10 B	No	Device (local)	Until the next update	Link Controller interface	Screenshot or transcription of the interface	Not supported to delete separately (overwritten with firmware update)
Power-On/Off Timestamp	Device Status Data	Timestamp	~8 B/event	No	Device local / cloud (actively uploaded by the user)	Until memory is full and the oldest is overwritten	Apply via email / data request form	Apply via email / data request form	Apply via email / data request form to delete
Device Log	Diagnostic Data	Text/JSON	~1 KB/event	No	Device local / cloud (actively uploaded by the user)	Until memory is full and the oldest is overwritten	Apply via email / data request form	Apply via email / data request form	Apply via email / data request form to delete
Device Operation Event	Diagnostic Data	JSON	~100 KB/day	No	Cloud	Until account lifetime	Apply via email / data request	Apply via email / data	Apply via email / data request

Data	Type of Data	Format	Estimated Volume	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data
Tracking							form	request form	form to delete

2. Related Service Data

When you use the Link Controller desktop software to perform fine image-quality adjustments, scene function settings such as Whiteboard Mode and DeskView Mode, portrait resolution and frame rate switching, and gimbal angle adjustment, or to perform services that affect product functionality such as firmware updates, information related to the above operations is generated during the provision of the service.

Data	Type of Data	Nature	Format	Purpose of Data Use	Estimated Volume	Collection Frequency	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data	Whether Third Parties Will Be Allowed to Use the Data
Firmware Update Record	Device Data	Firmware update timestamp + version number + associable device serial	JSON	Record firmware updates and ensure secure device updates	~100 B/event	Collected at each update	No	Backend server	Permanently until deletion is requested	Apply via email / data request form to the data	Apply via email / data request form to the data holder	Apply via email / data request form to the data holder	Yes

Data	Type of Data	Nature	Format	Purpose of Data Use	Estimated Volume	Collection Frequency	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data	Whether Third Parties Will Be Allowed to Use the Data
		number								holder		to delete	
Link Controller Operation Event Tracking	Diagnostic Data	Operation events and page paths of controlling the device via Link Controller	JSON	Usage behavior analysis and product improvement	~100 KB/day	Event-driven	No	Cloud	Until account lifetime	Apply via email / data request form	Apply via email / data request form	Apply via email / data request form to delete	Yes
Link Controller Log	Diagnostic Data	Stack traces of Link Controller controlling the device	Text	Troubleshooting	~10 KB/event	Event-driven	No	Local / cloud (actively uploaded by the user)	Until memory is full and the oldest is overwritten	Apply via email / data request form	Apply via email / data request form	Clear local data via factory reset; the cloud copy can be	Yes

Data	Type of Data	Nature	Format	Purpose of Data Use	Estimated Volume	Collection Frequency	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data	Whether Third Parties Will Be Allowed to Use the Data
												deleted via email / data request form	