

X Series Data

Under the EU Data Act, the X Series camera models that are connected products are as follows:

No.	Model
1	X6
2	X5
3	X4
4	X4 Air
5	X3
6	X2

The data collected by X Series cameras may vary by version and model. For details, please refer to the product User Manual and the User Service Agreement. In general, the product data and related service data processed by the X Series cameras are as follows.

1. Product Data

During use, this product acquires, generates, or collects data related to its performance, usage, and surrounding environment. This data is used to record panoramic shooting activities and shooting parameters (such as switching among panoramic, single-lens, and tracking modes, and 8K 360 recording); to reflect the device's power level, battery life, and operating status to ensure normal operation and facilitate troubleshooting; and to

record the location, time, and surrounding environmental conditions at the time of shooting, helping to reconstruct the shooting scene and optimize the product experience.

Data	Type of Data	Format	Estimated Volume	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data
Wi-Fi Password	Secure Connection Data	String	~64 B	No	Device (local)	Product lifecycle	Settings – Wi-Fi Settings	Screenshot or transcription of the interface	Not applicable (factory-hardcoded connection credential; cannot be deleted)
Serial Number	Device Identification Information	String	~20 B	No	Device (local)	Product lifecycle	Settings – About Camera	Screenshot or transcription of the interface	Not applicable (factory-hardcoded device identifier; cannot be deleted)
Model	Device Identification Information	String	~10 B	No	Device (local)	Permanently	Settings – About Camera	Screenshot or transcription of the interface	Not applicable (factory-hardcoded device identifier; cannot be deleted)
Firmware Version	Device Identification Information	String	~10 B	No	Device (local)	Until the next update	Settings – About Camera	Screenshot or transcription of the interface	Factory reset / overwritten by firmware update
Hardware Version	Device Identification	String	~10 B	No	Device (local)	Permanently	Settings – About	Screenshot or transcription of the	Not applicable (factory-hardcoded device identifier;

Data	Type of Data	Format	Estimated Volume	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data
	Information						Camera	interface	cannot be deleted)
MCU Version	Device Identification Information	String	~10 B	No	Device (local)	Permanently	Settings – About Camera	Screenshot or transcription of the interface	Not applicable (factory-hardcoded device identifier; cannot be deleted)
Battery Level	Device Status Data	Numeric (%)	~4 B	Yes	Device (local)	Real-time update	Camera home screen	Screenshot or transcription of the interface	Not applicable (real-time transient status; not persistently stored; no deletion required)
Charging Status	Device Status Data	Enum	~1 B	Yes	Device (local)	Real-time update	Camera home screen	Screenshot or transcription of the interface	Not applicable (real-time transient status; not persistently stored; no deletion required)
Remaining Storage Space	Device Status Data	Numeric (GB)	~4 B	Yes	Device (local)	Real-time update	Camera home screen	Screenshot or transcription of the interface	Not applicable (real-time transient status; not persistently stored; no deletion required)

Data	Type of Data	Format	Estimated Volume	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data
Storage Card Insertion Status	Device Status Data	Enum	~1 B	No	Device (local)	Until the status changes	Camera home screen	Screenshot or transcription of the interface	Not applicable (real-time transient status; not persistently stored; no deletion required)
Recording Status	Device Status Data	Boolean	~1 B	Yes	Device (local)	Real-time update	Camera home screen	Screenshot or transcription of the interface	Not applicable (real-time transient status; not persistently stored; no deletion required)
Wi-Fi Connection Status	Connection Status Data	Boolean	~1 B	Yes	Device (local)	Real-time update	Camera home screen	Screenshot or transcription of the interface	Not applicable (real-time transient status; not persistently stored; no deletion required)
Bluetooth Connection Status	Connection Status Data	Boolean	~1 B	Yes	Device (local)	Real-time update	Camera home screen	Screenshot or transcription of the interface	Not applicable (real-time transient status; not persistently stored; no deletion required)

Data	Type of Data	Format	Estimated Volume	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data
USB Connection Status	Connection Status Data	Boolean	~1 B	Yes	Device (local)	Real-time update	Camera home screen	Screenshot or transcription of the interface	Not applicable (real-time transient status; not persistently stored; no deletion required)
Power-On/Off Timestamp	Device Status Data	Timestamp	~8 B/event	No	Device local / cloud (actively triggered by the user)	Until factory reset	Apply via email / data request form	Apply via email / data request form	Clear local data via factory reset; the cloud copy can be deleted via email / data request form
Device Operation Event Tracking	Diagnostic Data	JSON	~100 KB/day	No	Device local / cloud (actively triggered by the user)	Product lifecycle	Apply via email / data request form	Apply via email / data request form	Apply via email / data request form to delete
Shooting Mode	Shooting Settings	Enum	~4 B	No	Device (local)	Until the next change	Camera screen	Screenshot or transcription of the interface	Factory reset
Lens Switching Status	Device Status Data	Enum (Front / Rear / 360)	~4 B	No	Device (local)	Until the next change	Camera screen	Screenshot or transcription of the	Factory reset

Data	Type of Data	Format	Estimated Volume	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data
								interface	
Device Log	Diagnostic Data	Text/JSON	~1 KB/event	No	Device local / cloud (actively triggered by the user)	Product lifecycle	Apply via email or data request form	Apply via email or data request form	Apply via email / data request form to delete
Field of View (FOV)	Shooting Settings	Numeric (degrees)	~4 B	No	Device (local)	Until the next change	Camera screen	Screenshot or transcription of the interface	Factory reset
HDR Mode	Shooting Settings	Boolean (Active HDR)	~4 B	No	Device (local)	Until the next change	Camera screen	Screenshot or transcription of the interface	Factory reset
Capture Timestamp	Metadata	Timestamp	~8 B/file	No	Embedded in the media file	Same as the file	File properties	View file properties via the file manager	Delete the file
Resolution	Shooting Settings	Numeric (pixels)	~8 B	No	Device (local)	Until the next change	Camera screen	Screenshot or transcription of the interface	Factory reset / delete footage files

Data	Type of Data	Format	Estimated Volume	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data
Frame Rate (Video)	Shooting Settings	Numeric (fps)	~4 B	No	Device (local)	Until the next change	Camera screen	Screenshot or transcription of the interface	Factory reset / delete footage files
Shutter Speed	Shooting Settings	Numeric (s)	~4 B	No	Device (local)	Until the next change	Camera screen	Screenshot or transcription of the interface	Factory reset / delete footage files
ISO	Shooting Settings	Numeric (100–6400)	~4 B	No	Device (local)	Until the next change	Camera screen	Screenshot or transcription of the interface	Factory reset / delete footage files
White Balance	Shooting Settings	Numeric (K)	~4 B	No	Device (local)	Until the next change	Camera screen	Screenshot or transcription of the interface	Factory reset / delete footage files
Color Profile	Shooting Settings	Enum (Standard / Vivid / Flat / I-Log)	~4 B	No	Device (local)	Until the next change	Camera screen	Screenshot or transcription of the interface	Factory reset / delete footage files
Video Codec	Shooting	Enum (H.264 /	~4 B	No	Device (local)	Until the	Camera	Screenshot or transcription	Factory reset /

Data	Type of Data	Format	Estimated Volume	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data
	Settings	H.265)				next change	screen	of the interface	delete footage files
Maximum Bitrate	Shooting Settings	Enum (Standard / High)	~4 B	No	Device (local)	Until the next change	Camera screen	Screenshot or transcription of the interface	Factory reset / delete footage files

2. Related Service Data

When you use the companion App to perform remote shooting control, shooting parameter settings, and panoramic shooting parameter delivery, or to perform services that affect product functionality such as firmware updates, information related to the above operations is generated during the provision of the service.

Data	Type of Data	Nature	Format	Purpose of Data Use	Estimated Volume	Collection Frequency	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data	Whether Third Parties Will Be Allowed to Use the Data
------	--------------	--------	--------	---------------------	------------------	----------------------	--	--------------------------	----------------------------	----------------------------------	------------------------------------	---------------------------------	---

Data	Type of Data	Nature	Format	Purpose of Data Use	Estimated Volume	Collection Frequency	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data	Whether Third Parties Will Be Allowed to Use the Data
Paired Bluetooth Device List	Connection Configuration Data	Paired Bluetooth device information	JSON	Connection management	~200 B/device	Upon user pairing	No	App local / cloud (actively triggered by the user)	Until unpairing	App – Paired Device List screen	Screenshot or transcription of the interface	Unpair/delete paired devices in the App; the cloud copy can be deleted via email / data request form	Yes
Device Pairing Record	Connection Record	Time, region, device type, and phone model of the camera–App pairing,	Timestamp	Device management	~50 B/event	Event-driven	No	App local / cloud (actively triggered by the user)	Follows the App log retention period (local until memory is full; cloud	Apply via email / data request form	Apply via email / data request form	Uninstall the App to clear local data; the cloud copy can be deleted via email / data request	Yes

Data	Type of Data	Nature	Format	Purpose of Data Use	Estimated Volume	Collection Frequency	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data	Whether Third Parties Will Be Allowed to Use the Data
		etc.							until the account lifetime)			form	
App Operation Event Tracking	Diagnostic Data	Operation events and page paths of controlling the device via the App	JSON	Usage behavior analysis and product improvement	~100 KB/day	Event-driven	No	App local / cloud (actively triggered by the user)	Account lifetime	Apply via email / data request form	Apply via email / data request form	Uninstall the App or apply via email / data request form	Yes
App Log	Diagnostic Data	Stack traces of the App controlling the device	JSON	Troubleshooting	~10 KB/event	Event-driven	No	App local / cloud (actively triggered by the	Until the App memory is full	Apply via email / data request form	Apply via email / data request form	Uninstall the App or apply via email / data request form	Yes

Data	Type of Data	Nature	Format	Purpose of Data Use	Estimated Volume	Collection Frequency	Capable of Generating Data Continuously and in Real-Time	Where the Data Is Stored	Duration of Data Retention	How the User May Access the Data	How the User May Retrieve the Data	How the User May Erase the Data	Whether Third Parties Will Be Allowed to Use the Data
								user)					
Device Activation Data	Device Data	First activation time / serial number / IP of the device	JSON	Device management and after-sales	~100 B/event	Upon first device activation	No	App local / cloud (actively triggered by the user)	Device lifecycle	Apply via email / data request form	Apply via email / data request form	Apply via email / data request form to delete	Yes
Firmware Update Record	Device Data	Update time, version number, and serial number of the device	JSON	Records the firmware update	~100 B/event	Collected at each update	No	App local / cloud (actively triggered by the user)	Retained permanently until deletion is requested	Apply via email / data request form	Apply via email / data request form	Apply via email / data request form to delete	Yes

